UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT OFFICE OF IRM/MODERNIZATION P.O. BOX 25047 DENVER, COLORADO 80225-0047

In Reply Refer To:
9691 (DW-113)

August 8, 1995

Instruction Memorandum No. DW-95-4060

Expires: 09/30/95

To: All State Directors

Attn: State GCDB Project Managers

From: Chief, Office of IRM/Modernization

Subject: Collection of Curve Data for Geographic Coordinate Data Base

(GCDB)

This memorandum issues the GCDB curve policy from the Denver Washington GCDB Project Office. This curve policy takes effect immediately.

To minimize the workload associated with implementing the curve policy, existing files will be utilized to collect the curve elements needed for ALMRS. The curve elements that will be populated on the target system for ALMRS are:

- 1. Curve Line Long Chord Distance Measure a straight line connecting the beginning point of curvature and the ending point of curvature.
- 2. Curve Line Long Chord Distance Unit of Measure Code the units of measure with which a curve long chord measurement is taken.
- 3. Curve Line Long Chord Direction Measure the azimuth or bearing of the long chord for a curve.
- 4. Curve Line Long Chord Direction Quadrant Code the quadrant of the direction when it is a bearing.
- 5. Curve Line Long Chord Direction Unit of Measure Code the unit of measure for direction (example Degrees-Minutes-Seconds DdMmSs.sss)
- 6. Curve Line Direction of Concavity Code the direction of concavity of a curve relative to the long chord direction.

- 7. Curve Line Type Code the code that identifies the type of curve (domain values are CIR for circular curve, PAR for parabolic curve, and SPI for spiral curve).
- 8. Curve Line Spiral Length Measure the nominal distance around a spiral curve segment.
- 9. Curve Line Spiral Length Unit of Measure the units of measure used for the distance measurement for a spiral curve.
- 10. Curve Line Radius Beginning Point Distance Measure the length of the radius at the beginning point of a curve.
- 11. Curve Line Radius Ending Point Distance Measure the length of the radius at the ending point of a curve.
- 12. Curve Line Radius Distance Unit of Measure Code the units of measure with which the radius, at either the beginning or ending points of an appropriate curve, is measured.

The above curve elements that are not collected by this direction will be derived during the GCDB Data Conversion process. The following direction covers methods to collect the necessary curve elements mentioned above with a minimum impact on existing State GCDB staffs. All examples in this document that refer to measurements of a curve (circular and spiral) do not represent actual values and are present only to show how the information is to be collected.

Curve Elements for PCCS or GMM Computed Townships

This directive deals with:

- 1. Circular curves being collected by either the Long Chord (LC), Radius (R), or a series of sub-chords along the arc of a circular curve, or
- 2. spiral curves.

All curves must have a distinct Source/Survey Identifier (SID) so multiple curves from the same source document can be uniquely identified for ALMRS. (See the examples for collecting curve elements in the RAW file.)

Tangent Curves

A tangent curve is defined as: an arc that is tangent to two line segments, the beginning of the curve (BC), more commonly known as the point of curvature, and the end of the curve (EC), more commonly known as the point of tangency.

For the Long Chord (LC) identified in the RAW DATA file, add an extension to the distinct SID for the curve in the following manner:

/TCnnLC, where TC represents a Tangent Curve and nn is the number of the curve identified in the RAW DATA file, (should start with 1 and increment by 1, for a maximum of 99, for each new tangent curve encountered within a township) and LC is the curve element.

The LC of the Tangent Curve must be connected in the RAW DATA file to the line segments leading into the BC and out of the EC.

Example of a tangent curve collected in the RAW DATA file.

```
4.750 3
2.530 2
4.150 3
837010
         837020
                                283145.0 100049
                                                                 (Line segment into BC)
         837030
                                614815.0 100049/TC01LC
837020
                                                                 (Long Chord)
837030
         837040
                                264145.0 100049
                                                                 (Line segment from EC)
                    6.760 4
837040
        837050
                                632945.0 100049
```

GCDB State Offices must collect curve elements 1, 3, and 4. Curve elements 2, 5, 6, 7, 10, 11, and 12, along with the element Line Geometry Type Code, will be derived during data conversion.

Nontangent Curve

A nontangent Curve is defined as a curve that is not tangent at the BC and/or EC. For nontangent curves with the LC identified in the RAW DATA file, add an extension to the distinct SID for the curve in the following manner:

/CnnLC, where C represents a nontangent circular curve and nn is the number of the curve identified in the RAW DATA file, (should start with 1 and increment by 1, for a maximum of 99, for each new circular curve encountered within a township) and LC is the curve element.

Additional elements must be added to collect enough curve information for ALMRS. Immediately following the LC line segment in the RAW DATA file add the line segment depicting the radius line from the BC to the Radius Point (RP).

/R, where R is the radius line segment from the BC to the RP.

GCDB State Offices must collect curve elements 1, 3, 4, 10, and 11. Curve elements 2, 5, 6, 7, and 12 along with the element Line Geometry Type Code will be derived during data conversion.

Example of a nontangent circular curve collected in the RAW data file.

| 837010 | 837020 | 4.750 | 3 | 283145.0 | 100049 | (Line segment into BC) |
|--------|--------|-------|---|----------|--------------|------------------------|
| 837020 | 837030 | 2.530 | 2 | 614815.0 | 100049/C01LC | (Long Chord) |
| 837020 | 837025 | 4.500 | 1 | 612815.0 | 100049/R | (Radius from BC to RP) |
| 837030 | 837040 | 4.150 | 3 | 264145.0 | 100049 | (Line segment from EC) |

Note: Colorado collected curves through the RP, and therefore only needs to add the LC to the data conversion input RAW file.

Moving of circular curve elements during Data Conversion from the RAW file to the SID file.


The curve elements (collected and derived) will be located in the SID file as shown in the example below. This will include the original line segments of the curve used for computations and the line segments added to collect additional curve elements. This process will occur during the data conversion process.


Example of circular curve elements collected in the .SID file:


S100049/C01 0.100 30000.0 10800.0 25.000 C/* (retained comments from original .SID file) C/** (structured comments from original .SID file) CRV/ 1234.567 A 4 898989.9 H L CIR CRV CRV/ 1234.567 3 595959.9 A


CRV/ 837020 837030 837025

Breakdown of the circular curve element definitions in the .SID file:









Example of a circular curve (tangent and nontangent) in the TOWNSHIP.RAW file after conversion:

| 837010 | 837020 | 4.750 | 3 | 283145.0 | 100049 | (Line | segment | into | BC) |
|--------|--------|-------|---|----------|--------------|-------|---------|------|-----|
| 837020 | 837030 | 2.530 | 2 | 614815.0 | 100049/C01LC | (Long | Chord) | | |
| 837030 | 837040 | 4.150 | 3 | 264145.0 | 100049 | (Line | segment | from | EC) |
| 837040 | 837050 | 6.760 | 4 | 632945.0 | 100049 | | | | |

Example of a Colorado circular curve in the TOWNSHIP.RAW file after conversion:

| 837010 | 837020 | 4.750 | 3 | 283145.0 100049 | (Line segment into BC) |
|--------|--------|-------|---|----------------------|------------------------|
| 837020 | 837030 | 2.530 | 2 | 614815.0 100049/C01R | (Radius from BC to RP) |
| 837030 | 837035 | 4.500 | 1 | 612815.0 100049/C01R | (Radius from RP to EC) |
| 837035 | 837040 | 4.150 | 3 | 264145.0 100049 | (Line segment from EC) |
| 837040 | 837050 | 6.760 | 4 | 632945.0 100049 | - |

Curves portrayed by subchords along the arc of the curve.

A curve portrayed by subchords is defined as: a curve that has two or more subchords. No restriction is placed on the number or length of the subchords. Subchords must be identified in the RAW DATA file with an extension to the SID in the following manner:

/Vnn, where V identifies the line segment as a sub-chord, and nn represents the number, (start with 1 and increment by 1, for a maximum of 99, for each new sub-chord within the RAW DATA file).

Curves portrayed by subchords must have the following line segments added to the RAW DATA file: the LC as the record immediately preceding the subchords and the radius from the BC to the RP as the record immediately following the subchords. The LC and Radius must have the SID extension as defined previously for a nontangent curve.

GCDB State Offices must collect curve elements 1, 3, 4, 10, and 11. Curve elements 2, 5, 6, 7, and 12 along with the element Line Geometry

5

Type Code will be derived during data conversion.


Example of subchords collected in the RAW DATA file before conversion:


```
837010
                837020
                          4.750
                                 3
                                      283145.0 100049
                                                                      (Line segment into BC)
      837020
                837030
                          2.530
                                      614815.0 100049/C01LC
                                                                      (Long Chord)
                                  2
       837020
                837021
                          0.500 2
                                      333333.0 100049/V01
                                                                     (Subchord 1)
       837021
                837022
                          0.500 2
                                      433333.0 100049/V02
                                                                     (Subchord 2)
       837022
                837030
                          1.540 2
                                      533333.0 100049/V03
                                                                     (Subchord 3)
       837020
                837025
                          4.500
                                      612815.0 100049/R
                                                                     (Radius from the BC to the
RP)
       837030
                837040
                          4.150 3
                                      264145.0 100049
                                                                     (Line segment from EC)
       837040
                837050
                          6.760 4
                                      632945.0 100049
```

Example of curve elements in the .SID file for curves collected by subchords:

S100049/C01 0.100 30000.0 10800.0 25.000 C/* (retained comments from original .SID file) C/** (structured comments from original .SID file) CRV/ 1234.567 A 4 898989.9 H L CIR CRV CRV/ 1234.567 3 595959.9 A CRV/ 837020 837030 837025


Breakdown of the curve element definitions in the .SID file for curves collected by subchords:





Radius Beginning Point Distance Measure RP
———— Quadrant of Radius from the BC to the RP

7



Example of subchords collected in the RAW DATA file after conversion:

| 837010 | 837020 | 4.750 | 3 | 283145.0 | 100049 | (Line segment into BC) |
|--------|--------|-------|---|----------|------------|------------------------|
| 837020 | 837021 | 0.500 | 2 | 333333.0 | 100049/V01 | (Subchord 1) |
| 837021 | 837022 | 0.500 | 2 | 433333.0 | 100049/V02 | (Subchord 2) |
| 837022 | 837030 | 1.540 | 2 | 533333.0 | 100049/V03 | (Subchord 3) |
| 837030 | 837040 | 4.150 | 3 | 264145.0 | 100049 | (Line segment from EC) |
| 837040 | 837050 | 6.760 | 4 | 632945.0 | 100049 | |

Spiral Curves

Spiral curves should be identified in the RAW DATA file with an extension to the SID in the following manner:

/SnnLC, where S represents Spiral curve and nn is the number of the spiral curve identified in the RAW DATA file (should start with 1 and increment by 1 to a maximum of 99 for each new spiral curve encountered within a township) and LC is the chord (distance from the beginning to the end of the spiral curve).

/SnnR#, where Snn matches the same value from the chord, and R is the radius line segment and # is equal to:

- 1. When the radius of the spiral to curve occurs at the beginning of the spiral curve.
- 2. When the radius of the spiral to curve occurs at the end of the spiral curve.

Note: for a spiral curve the spiral to curve radius is a known value while the tangent to spiral radius has an infinite value. The value of 1 and 2 above is intended to portray the radius of the spiral to curve. This will depend on the direction of the traverse and if the spiral to curve radius is at the beginning or end of the spiral curve.


Example of a spiral curve collected in the RAW file:


| | 836090 837000 | 837000 837010 | 4.750 0.500 | 3 4 | 283145.0 452619.0 | 100049 100049/S01LC | (Line Segment into Spiral) (Spiral Curve Chord) |
|--------|------------------|------------------|----------------|--------|----------------------|------------------------|---|
| | 837010 | 837015 | 4.500 | 1 | 612815.0 | 100049/S01R2 | (Spiral to Curve Radius) |
| | 837000 | 837010 | 0.650 | 0 | | 0.0 100049/S01LS | (Length of Spiral) |
| | 837010 | 837020 | 2.530 | 2 | 614815.0 | 100049/C01LC | (Circular Curve Long |
| Chord) | | | | | | | |
| | 837010 | 837015 | 4.500 | 1 | 612815.0 | 100049/R | (Circular Curve Radius) |
| | 837020 | 837030 | 0.500 | 3 | 001515.0 | 100049/S02LC | (Spiral Curve Chord) |
| | 837020 | 837025 | 4.500 | 2 | 351515.0 | 100049/S02R1 | (Spiral to Curve Radius) |
| | 837020 | 837030 | 0.650 | 0 | | 0.0 100049/S02LS | (Length of Spiral) |
| | 837040 | 837050 | 4.150 | 3 | 264145.0 | 100049 | (Line Segment from Spiral) |
| | 837050 | 837060 | 6.760 | 4 | 632945.0 | 100049 | |


Example of spiral curve elements added to the .SID file .:

S100049/S01 0.100 30000.0 10800.0 25.000 C/* (retained comments from original .SID file) C/** (structured comments from original .SID file) CRV/ 1234.567 A 4 898989.9 H L SPI CRV CRV/ 1234.567 3 595959.9 A 2 1234.567 A CRV/ 837000 837010 837015

Breakdown of the spiral curve element definitions in .SID file:







Example of a spiral curve in the RAW file after conversion.

| | 836090 | 837000 | 4.750 | 3 | 283145.0 100049 | (Line Segment into Spiral) |
|--------|--------|--------|-------|---|-----------------------|----------------------------|
| | 837000 | 837010 | 0.500 | 4 | 452619.0 100049/S01LC | (Spiral Curve Chord) |
| | 837010 | 837020 | 2.530 | 2 | 614815.0 100049/C01LC | (Circular Curve Long |
| Chord) | | | | | | - |
| | 837020 | 837030 | 0.500 | 3 | 001515.0 100049/S02LC | (Spiral Curve Chord) |
| | 837030 | 837040 | 4.150 | 3 | 264145.0 100049 | (Line Segment from Spiral) |
| | 837040 | 837050 | 6.760 | 4 | 632945.0 100049 | |

If there are any questions concerning the collection of curve elements, please contact Tim Woods at (303) 236-3888.

/s/ Monte G. Jordan

Distribution

WO-106, LS, Rm 401

WO-890 (Y. Kinney), LS, Rm 775

TC-100, Manager

SC-653, Library

DW-110, Central Files

113:JWoods:bg:x8915:8-4-95:CURVE.11